AK

	Application No.	Applicant(s)
Notice of Allowability		
	10/072,703 Examiner	GORDIN ET AL. Art Unit
		1
	Ismael Negron	2875
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to After Final Amendment filed February 22, 2005.		
2. The allowed claim(s) is/are <u>1 and 3-78</u> .		
3. The drawings filed on 22 February 2005 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 □ Notice of Informal D	atent Application (PTO-152)
2. Notice of Praftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	, ,
	Paper No./Mail Dat	te .
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	_	
4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	9.	

Application/Control Number: 10/072,703 Page 2

Art Unit: 2875

DETAILED ACTION

Response to Amendment

1. Applicant's After Final amendment filed on February 22, 2005 has been entered. Claims 1 and 22 have been amended. Claim 2 has been cancelled. Claims 62-78 have been added. Claims 1 and 3-78 are still pending in this application, with claims 1, 23, 44 and 62 being independent.

- 2. The drawings were received on February 22, 2005. These drawings are acceptable.
- 3. The substitute specification filed February 22, 2005 has been entered.

Allowable Subject Matter

- 4. Claims 1 and 3-78 are allowed.
- 5. The following is an examiner's statement of reasons for allowance:

Applicant teaches HID luminaries having a reflector, a bulb cone and a double-ended unjacketed HID light source located inside the reflector. The reflector includes an opening adapted for receiving a lens. The reflector further includes means for receiving and electrically connecting the light source, such means including a frame positioned inside an interior chamber of the bulb cone. The frame includes a receiver adapted to hold a first connecting portion, and a guide for guiding a complementary

Page 3

Art Unit: 2875

second connecting portion into an operative, but manually releasable, finger-safe electrical connection with the first connecting portion.

No prior art was found teaching individually, or suggesting in combination, all of the features of the applicants' invention, specifically the interior chamber frame structure, in combination with the claimed luminaire assembly.

6. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ismael Negron whose telephone number is (571) 272-2376. The examiner can normally be reached on Monday-Friday from 9:00 A.M. to 6:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sandra L. O'Shea, can be reached on (571) 272-2378. The facsimile machine number for the Art Group is (703) 872-9306.

8. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for

published applications maybe obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, go to http://pair-direct.uspto.gov. Should you have questions on access to Private PAIR system, contact the Electronic Business Center (EBC) toll-free at 866-217-9197.

March 5, 2005

DOMARY EXAMINER

Page 4